## **ALPHABETICAL ORDER Q & A FINAL NRNP 6531**

## **ABCD**

- 22. A 15-year-old male presents with **abdominal pain** that began in the peri-umbilical area then localized to the right lower quadrant. He complains of nausea, vomiting, anorexia, and low-grade fever. A complete blood count (CBC) reveals moderate leukocytosis. What is the most likely diagnosis? **d. Acute appendicitis**
- 55. Which agent is most effective for the treatment of nodulocystic acne? d. isotretinoin (Accutane)
- 83. The goals of treatment for patients with alcohol abuse disorder are: c. abstinence or reduction in sue, relapse prevention and rehabilitation d. marital satisfaction, improvement in family functioning, and reduction in psychiatric impairment
- 27. A 25-year-old complains of fever and throat pain. The tonsils have exudate bilaterally. The patient describes having an anaphylactic reaction to penicillin in the past. What antibiotic should the NP prescribe if she believes the causative agent is bacterial? a. amoxicillin (Amoxil) b. erythromycin
- 8. A patient recovering from a recent stroke is starting anticoagulant therapy. The nurse practitioner should teach the patient to avoid all of the following EXCEPT: a. b. milk and milk products
- 25. Therapeutic international normalized ratio (INR) for a patient taking warfarin (Coumadin) for chronic atrial fibrillation is expected to be a. increased
- 45. The **AUDIT questionnaire** is useful to assess: **a. alcohol use disorders**
- 63. Which of the following drugs has a beneficial effect on **benign prostatic hyperplasia**? **a. doxazosin (Cardura)**
- 65. The finding which is most consistent with a diagnosis of **benign prostatic hyperplasia** is digital palpation of a prostate gland that is: **a. enlarged, symmetrical, semi-firm, and non-tender** b. enlarged, symmetrical, boggy, and exquisitely tender
- 42. A 52- year-old female has a firm, non-tender, one centimeter mass in the RLQ of her breast. There are no palpable axillary lymph nodes. A mammogram the month before her examination was negative. The most appropriate nurse practitioner action today is to: c. schedule an ultrasound of the breast
- 80. A patient on oral contraceptives complains of **breast fullness**, tenderness, and some nausea. The patient is concerned. How should the NP manage this? **b. change the pill to one containing less estrogen**
- 69. Swan neck and boutonniere **deformities** are typical clinical findings in the later presentation of: a. gouty arthritis **b. rheumatoid arthritis**
- 47. For the general adult population, total **dietary fat** intake should be no more than what percent of total calories? **c. 30%**
- **10.** A positive drawer sign support a diagnosis of b. cruciate ligament injury