

Question 1

The Confusion Assessment Methods Instrument (CAMI) is a standardized assessment tool for which of the following disorders?

- A Dementia
- B Delirium
- C Pick's disease
- D A and C

Question 2

Which of the following is a common sensory deficit of conversion disorder? *Check all that apply.*

- A Blindness
- B Tunnel vision
- C Blindness
- D Deafness

Question 3

Delirium is an example of which type of clinical problem in psychosomatic medicine?

- A Psychiatric symptoms secondary to a medical condition
- B Psychiatric symptoms as a reaction to a medical condition of treatment
- C Psychiatric complications of medical conditions and treatment
- D Medical complications of psychiatric conditions or treatment

Question 4

All the following medications are used in the treatment of Parkinson's disease dementia/psychosis EXCEPT for

- A Nuplazid.

- B Rivastigmine
- C Pimavanserin
- D Memantine

Question 5

Indicators of imitative dissociative identity disorder include which of the following symptoms?

- A Symptom exaggeration
- B Confusion and shame related to symptoms
- C Use of symptoms to excuse antisocial behaviors
- D A and C only

Question 6

Which of the following can lower a person's resistance to control impulses?

- A Fatigue
- B Incessant stimulation
- C Psychic trauma
- D All of the above

Question 7

Schizophrenia in a patient with end-stage renal disease is an example of which type of clinical problem in psychosomatic medicine?

- A Co-occurring medical and psychiatric conditions
- B Psychiatric symptoms secondary to a medical condition
- C Psychiatric symptoms as a reaction to a medical condition