

Version 1

1. You see a 9-year-old after he was hit in the eye with a foreign body. Flourescein staining reveals a vertical line abrasion lateral to the iris. The pupils are equal in size and reactive; a positive red reflex is present bilaterally. There are no abnormal extraocular movements. Visual acuity is normal. An appropriate plan of care includes follow-up in 48 to 72 hours and:
- a Prescribing ophthalmic steroid drops three times a day but not applying
· an eye patch
 - b Prescribing ophthalmic antibiotic drops three to four times daily and
· placing a patch over the eye for 24 to 48 hours
 - c Prescribing topical ophthalmic steroid drops three times a day and
· placing a patch over the eye for 24 to 48 hours
 - d Prescribing ophthalmic antibiotic drops three to four times daily but not
· applying an eye patch

QUESTION 2

1. A 3-year-old has a history of upper respiratory tract infection 2 weeks ago. She recently started awakening at night. Physical exam reveals a normothermic child. She is smiling, playful, and sitting on the father's lap. The TMs are gray with scattered bubbles and good motility. What is the best treatment?
- a Amoxicillin at 80 mg/kg/day in two divided doses
· for 10 days
 - b Observation without therapy; recheck in 1 month
·
 - c Nasal corticosteroids daily
·
 - d Referral to an otolaryngologist
·

QUESTION 3

1. Therapeutic treatment for Coxsackie infections include:
- a Antiviral treatment like acyclovir
·
 - b Immunoglobulin
·
 - c Supportive care